

Start your creative journey!

Whether it's off a plan or off the cuff, it's never been as easy as this. Be bold, be stylish, be innovative, be playful! Start your next creative journey here.



Contents

INTRODUCTION

① Solution types and finishes 4

IN-GROUND SOLUTIONS

\oplus	75mm Rigidline™	8
\oplus	75mm Flexline™	9
+	100mm Rigidline™	10
+	100mm Flexline™	11
+	150mm Rigidline™	12
+	150mm Flexline™	13
(+)	100mm Hardline™ - HEAVY DUTY	14
(+)	150mm Hardline™ - HEAVY DUTY	15

ABOVE GROUND SOLUTIONS

\oplus	240mm Rigidline™	18
\oplus	240mm Flexline™	19
\oplus	400mm Rigidline™	20
\oplus	400mm Flexline™	21
\oplus	560mm Rigidline™	22
(+)	560mm Flexline™	23

RAISED PLANTER SOLUTIONS

\oplus	400mm high fixed height planter box	26
(+)	560mm high fixed height planter box	27

OUR DIFFERENCE

\oplus	Why use Straightcurve®	28
\oplus	Entire Product list	30



Deciding what you need or simply seeking inspiration? At some point there comes a time to choose if the lines in your garden will be straight or curving. The product range is designed to have solutions for both, so it's helpful to know just what you want!

STRAIGHT

Hardline™ is the heavy duty option for strong straights with a foot to make them sturdy, it's so grounding!

 $Rigidline^{\text{TM}}\,is\,suited\,for\,firm\,straight\,lines$ as it is more rigid than $Flexline^{TM}$.



CURVED

Use the Flexline™ range for organic and flowing lines. As they flex rather than bend you can make all curves effortlessly by hand on site as you go, it comes naturally!



COMBINATIONS

It's OK to have some of each in a garden too. Our Rigidline $^{\text{TM}}$ will join with our Flexline $^{\text{TM}}$ of the same height.

Finish choices

The entire Straightcurve® range is available in a weathering steel or galvanised finish. Perfect for whatever look you are going for!




WEATHERING STEEL


Weathering steel is an alloy that develops a rusty-looking protective patina, giving a natural finish.



GALVANISED STEEL

The galvanised look is for people who prefer a grey/silver finish and is longer lasting.





straight@uwe®

In-ground solutions

Perfect for!

- Lawn barriers
- Pathway edges
- Separating materials like stone and mulch





In-ground solutions



IDEAL FOR

- Straight lines and geometric designs
- Straight garden paths and lawn areas
- Decorative stone areas
- Angular tree surrounds

USE AS

- Ø Divider between gravels/woodchips/ mulches etc
- ✓ Lawn edge for non-invasive grasses



RL075WS WEATHERING STEEL RL075GS GALVANISED STEEL



straightcurve




IDEAL FOR

- Ø Organic and flowing lines
- Meandering garden paths
- Operative stone areas
- Creating curved lawn areas
- Rounded tree surrounds

USE AS

- Ø Divider between gravels/woodchips/ mulches etc



FL075WS WEATHERING STEEL FL075GS GALVANISED STEEL





In-ground solutions




IDEAL FOR

- Straight lines and geometric designs
- Straight garden paths and lawn areas
- O Decorative stone and mulch areas
- Hard soils where trenching is difficult

USE AS

- ☑ Divider between gravels/woodchips/mulch etc
- ✓ Low feature bed



RL100WS WEATHERING STEEL RL100GS GALVANISED STEEL



straight curve®




IDEAL FOR

- Ø Organic and flowing lines
- Meandering garden paths
- Creating curved lawn areas
- O Decorative stone and mulch areas
- Gently sloping gardens

USE AS

- **⊘** Lawn barrier for non-invasive grasses
- Oivider between gravels/woodchips/mulch etc
- Low feature bed



FL100WS WEATHERING STEEL FL100GS GALVANISED STEEL





In-ground solutions



IDEAL FOR

- Straight lines and geometric designs
- Straight garden paths and lawn areas
- O Decorative stone and mulch areas
- Slightly raised or In-ground tree surrounds

USE AS

- Lawn barrier for invasive grasses
- ☑ Divider between gravels/woodchips/mulch etc
- ✓ Low feature bed



RL150WS WEATHERING STEEL RL150GS GALVANISED STEEL



straightcurve




IDEAL FOR

- Ø Organic and flowing lines
- Meandering garden paths
- Creating curved lawn areas
- Slightly raised or In-ground tree rings
- Gently sloping gardens

USE AS

- Oivider between gravels/woodchips/mulch etc
- Low feature bed



FL150WS WEATHERING STEEL FL150GS GALVANISED STEEL





In-ground solutions




IDEAL FOR

- Obsigns featuring straight lines
- Angular tree surrounds
- O Discreet lines for Perfectionists!

USE AS


- Oivider between gravels, wood chips, mulch etc
- ✓ Lock in paving or compacted/loose fill paths
- Low feature bed borders



HL100WS WEATHERING STEEL HL100GS GALVANISED STEEL



straightcurve®



IDEAL FOR

- Obsigns featuring straight lines
- Angular tree surrounds
- Showing a little more edge


USE AS

- Lawn barrier for invasive grasses
- Oivider between gravels, wood chips, mulch etc
- ✓ Lock in paving or compacted/loose fill paths
- Low feature bed borders



HL150WS WEATHERING STEEL HL150GS GALVANISED STEEL





straightcume

Above ground solutions

Perfect for!

- Raised garden beds
- Steps and multi levels
- Retaining walls







Above ground solutions



IDEAL FOR

- Straight lines and geometric designs
- Raised, straight-sided feature beds
- Terracing a gentle slope

USE AS

- Raised border edging
- Low retainers and steps



RL240WS WEATHERING STEEL RL240GS GALVANISED STEEL



straightcurve



IDEAL FOR

- Ø Organic and flowing lines
- Raised, curved feature gardens
- ✓ Terracing a gentle slope
- Creating curved step faces

USE AS

- Raised border edging
- ✓ Low retainers and steps



FL240WS WEATHERING STEEL FL240GS GALVANISED STEEL





Above ground solutions



IDEAL FOR

- Straight lines and geometric designs
- Kitchen garden beds

USE AS

- Raised border edging
- Medium height retainers



RL400WS WEATHERING STEEL RL400GS GALVANISED STEEL



straightcurve



IDEAL FOR

- Ø Organic and flowing lines
- Raised, curved feature gardens
- Kitchen garden beds
- → Hard surface mounting i.e. rooftops/decking

USE AS

- Raised border edging
- Medium height retainers



FL400WS WEATHERING STEEL FL400GS GALVANISED STEEL





Above ground solutions



IDEAL FOR

- Straight lines and geometric designs
- Kitchen garden beds

USE AS

- Raised border edging
- Medium height retainers



RL560WS WEATHERING STEEL RL560GS GALVANISED STEEL



straightcurve



IDEAL FOR

- Ø Organic and flowing lines
- Raised, curved feature gardens
- Kitchen garden beds
- → Hard surface mounting i.e. rooftops/decking

USE AS

- Raised border edging
- Medium height retainers



FL560WS WEATHERING STEEL FL560GS GALVANISED STEEL





Quick to install Designed with time-saving features

Stunning presentation

Neat and attractive finish with hidden fixings.

straightcurve®

Raised planter solutions

Perfect for!

- Planter boxes
- Raised garden beds
- Straight retaining walls





Fixed height planter box

Hidden Fixings with bolt down capabilities.




IDEAL FOR

- ✓ Long 'garden barrier' beds
- ✓ Tables and bench seats (create own top)
- ✓ Land U shaped planter beds

USE AS

- Raised garden beds and planters
- Outdoor furniture bases
- Storage boxes



AVAILABLE PANEL LENGTHS

400MM	600MM	I 800MM	L1000MM	L1200MM I	2000MM

Combine panels to make any size in 200mm increments

FHL400WS WEATHERING STEEL FHL400GS GALVANISED STEEL







IDEAL FOR

- ✓ Long 'garden barrier' beds

- ✓ Land U shaped planter beds

USE AS

- Raised garden beds and planters
- Ø Retainers (One wall or Closed Shape)
- Outdoor furniture bases
- Storage boxes



AVAILABLE PANEL LENGTHS

400MM	600MM	I 800MM	l 1000MM	l 1200MM	l 2000MM

Combine panels to make any size in 200mm increments

FHL560WS WEATHERING STEEL FHL560GS GALVANISED STEEL

Why use Straightcurve®?



Jaim - Green Horizons Landscape Construction



Alessio - Alessio's Gardens



Jaiden - Deep Green Landscaping



Mirek - Waterwise Landscaping




Wanda - Wanda's Gardening & Landscaping



Landscaper & DIY user benefits



DESIGNED FOR DIY



NATURALLY FLEXIBLE, EASY TO CURVE



STRAIGHT LINES STAY TRUE



DISCREET, NEAT JOINING



QUICK TO INSTALL



SMOOTH ROLLED TOP EDGES

GREAT BENEFITS

- always right
- Suitable for soft, hard or concrete surfaces
- Natural looking finish
- Ourable and strong won't crack, warp or shift later
- flexible edges.
- lines and curves
- No need to concrete edges in place
- No welding required
- Sold in sets with stakes and connectors.

	IMAGE	PREFIX	HEIGHT (mm)	MATERIAL (WS/GS)	LENGTH (S) (mm)	USE AS	IDEAL FOR	ACCESSORIES (NOT INCLUDED)
		FL	75	WS / GS	2200	Divider between gravels/woodchips/ mulch Paving, compacted stone & artificial turf edge Lawn edge for non-invasive grasses	 Organic & flowing lines Meandering garden paths Decorative stone areas Creating curved lawn areas Rounded tree surrounds Hard soils where trenching is difficult 	 2 x Tek Screws (12G x 16mm) or 2 x pop rivets (4mm shaft)
	-	RL	75	WS/GS	2200	Divider between gravels/woodchips/mulch Paving, compacted stone & artificial turf edge Lawn edge for non-invasive grasses	 Straight lines & geometric designs Straight garden paths & lawn areas Decorative stone areas Angular tree surrounds Hard soils where trenching is difficult 	 500mm Corner piece 2 x Tek Screws (12G x 16mm) or 2 x pop rivets (4mm shaft)
		FL	100	WS / GS	2200	Lawn barrier for non-invasive grasses Divider between gravels/woodchips/mulch Low feature bed	 Organic & flowing lines Meandering garden paths Creating curved lawn areas Decorative stone and mulch areas Hard soils where trenching is difficult Gently sloping gardens 	 500mm Corner piece Hard surface fixing bracket 2 x Tek Screws (12G x 16mm) or 2 x pop rivets (4mm shaft)
SOLUTIONS		RL	100	WS / GS	2200	Lawn barrier for non-invasive grasses Divider between gravels/woodchips/mulch Low feature bed	Straight lines & geometric designs Straight garden paths & lawn areas Decorative stone & mulch areas Hard soils where trenching is difficult In-ground tree surrounds	 500mm Corner piece Hard surface fixing bracket 2 x Tek Screws (12G x 16mm) or 2 x pop rivets (4mm shaft)
IN-GROUND SOLUTIONS		FL	150	WS/GS	2200	Lawn barrier for invasive grasses Divider between gravels/woodchips/mulch Low feature bed	 Organic & flowing lines Meandering garden paths Creating curved lawn areas Slightly raised or In-ground tree rings Keeping mulch off paths Gently sloping gardens 	 500mm Corner piece Hard surface fixing bracket 2 x Tek Screws (12G x 16mm) or 2 x pop rivets (4mm shaft)
=		RL	150	ws/gs	2200	Lawn barrier for invasive grasses Divider between gravels/woodchips/mulch Low feature bed	Straight lines & geometric designs Straight garden paths & lawn areas Decorative stone & mulch areas Slightly raised or In-ground tree surrounds Keeping mulch off paths	 500mm Corner piece Hard surface fixing bracket 2 x Tek Screws (12G x 16mm) or 2 x pop rivets (4mm shaft)
		HL	100	ws/gs	2200	 Lawn barrier for non-invasive grasses Divider between gravels, wood chips, mulch Lock in paving or compacted/loose fill paths Low feature bed borders 	 Designs featuring straight lines Small formal courtyard gardens Angular tree surrounds Discreet lines for Perfectionists! 	 500mm Corner piece 4 x Tek Screws (12G x 16mm) or 4 x pop rivets (4mm shaft)
		HL	150	WS / GS	2200	 Lawn barrier for invasive grasses Divider between gravels, wood chips, mulch Lock in paving or compacted/loose fill paths Low feature bed borders 	 Designs featuring straight lines Small formal courtyard gardens Angular tree surrounds Showing a little more edge 	 500mm Corner piece 4 x Tek Screws (12G x 16mm) or 4 x pop rivets (4mm shaft)
		FL	240	WS / GS	2160	Raised border edgingLow retainers & stepsHigh set lawn barrier for invasive grasses	 Organic & flowing lines Raised, curved feature gardens Terracing a gentle slope Creating curved step faces Hard surfaces i.e. rooftops/decking 	 Small anchor post (2 x Tek screws 12G x 16mm) Corner piece (arm lengths: 255mm) Joining sleeve (6 x Tek screws 12G x 16mm) Universal bracing set (turnbuckle/chain/stake)
SNO		RL	240	WS/GS	2160	Raised border edgingLow retainers & stepsHigh set lawn barrier for invasive grasses	 Straight lines & geometric designs Raised, straight-sided feature beds Terracing a gentle slope Creating straight step faces Hard surfaces i.e. rooftops/decking 	Small anchor post (2 x Tek screws 12G x 16mm) Corner piece (arm lengths: 255mm) Joining sleeve (6 x Tek screws 12G x 16mm) Universal bracing set (turnbuckle/chain/stake)
ABOVE GROUND SOLUTIONS		FL	400	WS/GS	2160	Raised border edgingMedium height retainersClosed shape garden beds	 Organic & flowing lines Raised, curved feature gardens Kitchen garden beds Curved, sweeping terraces/retainers Hard surfaces i.e. rooftops/decking 	 Universal bracing set OR Large anchor post (4 x Tek Screws 12G x 16mm) Corner piece (arm lengths: 255mm) Joining sleeve (8 x Tek Screws 12G x 16mm)
SOVE GROU		RL	400	ws/gs	2160	Raised border edgingMedium height retainersClosed shape garden beds	 Straight lines & geometric designs Raised, straight-sided feature gardens Kitchen garden beds Straight run terraces/retainers Hard surfaces i.e. rooftops/decking 	 Universal bracing set OR Large anchor post (4 x Tek Screws 12G x 16mm) Corner piece (arm lengths: 255mm) Joining sleeve (8 x Tek Screws 12G x 16mm)
AE		FL	560	WS / GS	2160	 Raised border edging Medium height retainers Closed shape garden beds 	 Organic & flowing lines Raised, curved feature gardens Kitchen garden beds Curved, sweeping terraces/retainers Hard surfaces i.e. rooftops/decking 	Universal bracing set OR Large anchor post (4 x Tek Screws 12G x 16mm) Corner piece (arm lengths: 255mm) Joining sleeve (10 x Tek Screws 12G x 16mm)
		RL	560	WS / GS	2160	 Raised border edging Medium height retainers Closed shape garden beds 	 Straight lines & geometric designs Raised, straight-sided feature gardens Kitchen garden beds Straight run terraces/retainers Hard surfaces i.e. rooftops/decking 	Universal bracing set OR Large anchor post (4 x Tek Screws 12G x 16mm) Corner piece (arm lengths: 255mm) Joining sleeve (8 x Tek Screws 12G x 16mm)
RAISED PLANTERS		FHL	400	WS / GS	400 600 800 1000 1200 2000	 Raised garden beds & planters Retainers (one wall or closed shape) Outdoor furniture bases Storage boxes 	 Square/rectangular free standing beds Retaining walls Long 'garden barrier' beds Hard surfaces i.e. patios & rooftops Tables & bench seats (create own top) 	Straight Join Set (12 x Tek Screws 12G x 16mm) Closed Corner Set (6 x Tek Screws 12G x 16mm) Open Corner Set (8 x Tek Screws 12G x 16mm) Standard crossover bracing strap Universal Bracing Set Large anchor post + Fixing lips (sold separately) (require 6 x Tek Screws 12G x 16mm)
RAISED		FHL	560	WS / GS	400 600 800 1000 1200 2000	 Raised garden beds & planters Retainers (one wall or closed shape) Outdoor furniture bases Storage boxes 	 Square/rectangular free standing beds Retaining walls Long 'garden barrier' beds Hard surfaces i.e. patios & rooftops Tables & bench seats (create own top) 	Straight Join Set (12 x Tek Screws 12G x 16mm) Closed Corner Set (6 x Tek Screws 12G x 16mm) Open Corner Set (8 x Tek Screws 12G x 16mm) Standard crossover bracing strap Universal Bracing Set Large anchor post + Fixing lips (sold separately) (require 6 x Tek Screws 12G x 16mm)

 $FL - Flexible \qquad RL - Rigid \qquad HL - Super Rigid \qquad FHL - Fixed Planter \qquad WS = Weathering \qquad GS = Galvanised$

straightcume

Australian Distribution Partner:

StrataGreen 1300 866 367 assistance@straightcurve.com.au

Distributor:

www.straightcurve.com